# **3** Highway Guide Grids


#### 3.0 HG-1: Highway Guide with 1-to 3-Line Legend and Directional Arrow

This format accommodates a single one-to three-line destination legend. The legend is an x below the top edge of the brown legend field, and aligned flush left. Multiple line legends have .66x interline space.

The legends on straight and left directional modules are placed 4.5x from the left edge of the brown legend field. The arrow is horizontally centered in the 4.5x space. The distance between the end of the longest destination legend and the right edge of the brown legend field is 1.5x.


Legends on right directional modules are placed 1.5x from the left edge of the brown legend field. The arrow is 1.5x beyond the end of the destination legend and the interior alignment box with 1.5x between the right edge of the legend and the interior alignment box of the arrow and the right side of the brown legend field.

Sign panels are surrounded by a white border. The top of the white border is .333x, and the sides and bottom are .166x.




## 3.1 HG-2: Highway Guide with 1- to 3- line legend, Advance Guidance and NPS Arrowhead


This format accommodates a single one-to three-line destination legend, advance guidance legend, and an NPS Arrowhead. The legend is placed an x below the top edge of the brown legend field and is left justified 5.66x from the left edge of the brown legend field. Multiple line legends have .66x interline space. The right side margin is 1.5x beyond the longest legend line to the right side of the brown legend field. The advance guidance legend is .8x, Clearview typeface, displayed in all uppercase, is centered under text legend area, 1.5x below the destination legend and aligned flush left. If route numbers are displayed, they are an x high Clearview, and are aligned to the top of the advance guidance legend. A 1.5x space is placed below the advance guide legend. The 3x wide arrowhead is centered between the left edge of the panel and the left alignment of sign legend, and aligned to the top of the first legend line. Sign panels are surrounded by a white border. The top of the white border is .333x and the sides and bottom are .166x.













## **Typography**Primary Legend: NPS Roadway, initial cap Secondary Legend: Clearview, all capital

## 3.2 HG-3: Highway Guide with 1- to 3-Line Legend and Advance Guidance

This format accommodates a single one-to three-line destination legend, advance guide legend. The legend is placed an x below the top edge of the brown legend field and is left justified 5.66x from the left edge of the brown legend field. Multiple line legends have .66x interline space. The right side margin is 1.5x beyond the longest legend line to the right side of the brown legend field.

The advance guidance legend is .7x, Clearview typeface, displayed in all uppercase, is centered 1.5x below the destination legend. If route numbers are displayed, they are an x high Clearview, and are aligned to the top of the advance guide legend. A 1.5x space is placed below the advance guide legend.

Sign panels are surrounded by a white border. The top of the white border is .333x and the sides and bottom are .166x.



## 3.3 HG-4: Highway Guide with 1- to 3-Line Legend Centered on Sign

This format accommodates a single one-to three-line destination legend, advance guide legend. The legend is placed an x below the top edge of the brown legend field and is centered. Multiple line legends have .66x interline space. The right and left side margins are 1.5x from the edge of the brown legend field.

The advance guidance legend is .7x, Clearview typeface, displayed in all uppercase, and is centered 1.5x below the destination legend. If route numbers are displayed, they are an x high Clearview, and are aligned to the top of the advance guide legend. A 1.5x space is placed below the advance guide legend.

Sign panels are surrounded by a white border. The top of the white border is .333x and the sides and bottom are .166x.

